

B00204	DIMENSIONS DES COURROIES TRAPEZOÏDALES A STANDARD							
SECTION A 13 x 8mm								
N° de courroie	Longueur intérieure (mm)	Longueur primitive (mm)	N° de courroie	Longueur intérieure (mm)	Longueur primitive (mm)	N° de courroie	Longueur intérieure (mm)	Longueur primitive (mm)
16	407	437	54	1372	1595	92	2337	2367
18	457	487	55	1400	1425	93	2360	2392
19	480	510	56	1462	1452	94	2388	2418
20	508	538	57	1450	1479	95	2413	2443
21	535	565	58	1473	1502	96	2438	2467
22	560	590	59	1500	1532	97	2464	2492
23	584	605	60	1525	1552	98	2489	2519
24	610	640	61	1550	1578	99	2515	2545
25	630	660	62	1575	1605	100	2540	2569
26	660	691	63	1600	1629	102	2591	2621
27	686	722	64	1725	1654	103	2616	2646
28	710	741	65	1650	1679	104	2642	2672
29	737	767	66	1676	1696	105	2667	2697
30	762	792	67	1700	1733	106	2692	2722
31	787	816	68	1725	1753	107	2718	2748
32	813	843	69	1750	1779	108	2743	2773
33	838	874	70	1775	1807	110	2794	2824

B00204	DIMENSIONS DES COURROIES TRAPEZOÏDALES A STANDARD							
SECTION A 13 x 8mm								
34	864	896	71	1800	1828	112	2845	2875
35	889	919	72	1829	1860	113	2870	2900
36	914	944	73	1854	1882	116	2950	2976
37	940	970	74	1880	1909	118	3000	3027
37,5	950	980	75	1900	1933	120	3048	3078
38	965	995	76	1930	1960	124	3150	3180
39	990	1030	77	1956	1986	128	3250	3281
40	1016	1046	78	1980	2008	130	3302	3332
41	1041	1071	79	2007	2037	132	3350	3383
42	1067	1090	80	2032	2057	134	3404	3434
43	1090	1130	81	2060	2086	136	3454	3484
44	1120	1150	82	2083	2111	140	3550	3586
45	1143	1173	83	2110	2138	144	3658	3688
46	1168	1198	84	2134	2163	148	3759	3789
47	1194	1230	85	2160	2188	158	4013	4043
48	1220	1250	86	2184	2214	162	4115	4115
49	1245	1280	87	2210	2239	167	4242	4272
50	1270	1301	88	2235	2265	180	4572	4602
51	1295	1327	89	2261	2291	196	4978	5008

B00204	DIMENSIONS DES COURROIES TRAPEZOÏDALES A STANDARD							
SECTION A 13 x 8mm								
52	1320	1342	90	2286	2313	210	5334	5364
53	1350	1372	91	2310	2341			